

CEDRIA Woodworm Killer Plus

Technical Sheet

Treatments Range

Product Description

Preventive and restorative protection against xylophagous insects (woodworm). Solvent-based.

Properties

- Effective curative action. Exterminates all types of woodworm and other insects. Prevents new attacks
- Good penetration.
- Doesn't stain or discolour the wood.
- Easy application.

Recommended Uses

For plywood, solid wood, beams, frames, windows, art objects and wood in general. Exteriors - interiors.

Technical Characteristics

Odour	Low odour
Viscosity	8" - 10" CF4
Density (20°C)	0.78 kg/l
Solvent Type	White spirit
Drying	Touch dry: 1-2 hours. Repainted: 12 hours
Application Conditions	Maximum Relative Humidity 65%. Temperature between 5° and 35°
Storage	Conserve inside at temperatures between 5°C and 35°C
Container sizes	1l, 4l and 20l
Utensils and Cleaning	Brush, spray-gun, by immersion. Clean with water
Coverage	4-6 m ² /l (preventative) and 3-4 m ² /l (restorative) depending on state of surface and wood type
MSC Registration N°	16-80-08201 CEDRIA MATACARCOMA PLUS
MSC Registration N°	16-80-08200 CEDRIA MATACARCOMA 28 SPRAY

ENVIRONMENTAL USE (For professional application only): Containers of more than 1 litre.

GENERAL PUBLIC USE: Containers up to 1 litre.

Safety

- All current legislation must be followed in the case of storage and handling.
- Storage Life: 2 years in sealed containers and at storage conditions as recommended in the Technical Characteristics section.
- Prevent the product or product residues coming into contact with water courses. Remember: the care and protection of the environment is the legacy for our future generations.
- Keep out of the reach of children.

Quality Guarantee

CEDRIA products have been developed, manufactured and sold under the most rigorous quality standards. These recommendations are made in accordance with the current state of our knowledge and provide general information about the application and use of the products. Given the variety of substrates, uses and application techniques, the purchaser/user remains responsible for checking the materials, their application and the final result. For this reason, the purchaser/user is advised to test the product prior to the final application.

Application and Preparation of the wood

It is essential to prepare the wood properly before applying the product:

1. The wood should be dry (with less than 18-20% humidity).
2. The wood should be free from dust, grease, residues and other substances.
3. Product is ready to use.
4. Stir (do not shake) the product with a spatula before using.

New Wood

- **It is essential to prepare the wood before applying the product. See the section on application and preparation of wood.**
- Apply CEDRIA WOODWORM KILLER PLUS or CEDRIA WOODWORM KILLER 28 SPRAY with a brush, spray or by immersion and particularly at the ends of the wood. PREVENTATIVE USAGE 200 g/m².
- Wait 12 hours before applying the chosen finish.

Previously painted or varnished wood

- **It is essential to prepare the wood before applying the product. See the section on application and preparation of wood.**
- Before applying CEDRIA WOODWORM KILLER PLUS or CEDRIA WOODWORM KILLER 28 SPRAY it is essential to remove previous finishes by sanding the wood in the direction of the grain or stripping the wood with CEDRIA REMOVER GEL*¹.
- Apply CEDRIA WOODWORM KILLER PLUS or CEDRIA WOODWORM KILLER 28 SPRAY using a brush, spray or through drill holes. RESTORATIVE USAGE 300 g/m².
- Wait 12 hours before applying the chosen finish.

IMPORTANT: If you do not remove the remains of the previous product, apply CEDRIA WOODWORM KILLER PLUS by injection into drill holes to aid penetration of the product into the wood. RESTORATIVE USAGE 300 g/m².

Additional Recommendations

- Drying times will vary according to temperature and relative humidity.
- The performance and behaviour of the product may vary depending on the type of wood.

*1: See the Technical Sheet for the product.